



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006618531

Filing Deadline: February 18, 2015

FRN: 0001566561

Filing Date: 01/13/2015 11:36 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: North Dakota Network Company

Brand Names: SRT Wireless

PO Box:

Street Address: 3615 North Broadway

City: Minot

State: ND

Zip Code: 58703

Contact Name: Julie Lizotte

Contact Phone: (701) 858-5233

Contact Fax:

Contact Email: julieel@srttel.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Blooston Mordkofsky Dickens Duffy & Prendergast, LLP

PO Box:

Street Address: 2120 L Street, NW Suite 300

City: Washington

State: DC

Contact Name: D. Cary Mitchell  
Contact Phone: (202) 828-5538  
Contact Fax:  
Contact Email: cary@bloostonlaw.com

### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.srt.com/onlinestore/do/category/infoHearingAid>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Along with providing detailed information about hearing aid compatibility of wireless phones on the Company's web site, the Company has instructed its sales staff about the availability of hearing aid compatible phone models and it has signs in each store advertising the availability of hearing aid compatible devices. The company also has wireless industry pamphlets available that customers can take home with information on the FCC's requirements and HAC rating system. To the extent that additional information is developed by the wireless industry and/or the hearing impaired community on the compatibility of certain phone models with particular hearing aids, the Company will endeavor to make such information available to customers.

### Methodology for Functionality Levels

Basic phones (entry-level devices offered for \$10 or less); Feature phones (devices with more advanced features and

capabilities offered for more than \$10); and Smartphone/PDAs (devices that run complete operating system software as a platform for application developers).

## Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 19

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	16	84%	2	11%	1	5%	19
Wi-Fi	12	86%	1	7%	1	7%	14

## Handset 1: Alcatel One Touch Ultra 960C

### Handset Maker

Alcatel

### Handset Model Name FCC ID

One Touch Ultra 960C RAD278

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 11/12 to 03/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Smartphone/PDA

### Remarks

## Handset 2: Apple iPhone 4S

### Handset Maker

Apple

### Handset Model Name

iPhone 4S

### FCC ID

BCG-E2430A

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 03/13 to 09/14

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Smartphone/PDA

### Remarks

---

## Handset 3: Apple iPhone 5

### Handset Maker

Apple

### Handset Model Name

iPhone 5

### FCC ID

BCG-E2599A

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 03/13 to 04/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 4: Apple iPhone 5c

#### Handset Maker

Apple

#### Handset Model Name

iPhone 5c

#### FCC ID

BCG-E2644A

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 10/13 to 12/14

#### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 5: Apple iPhone 5s

#### Handset Maker

Apple

#### Handset Model Name

iPhone 5s

#### FCC ID

BCG-E2642A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 10/13 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks****Handset 6: Apple iphone 6****Handset Maker**

Apple

**Handset Model Name****FCC ID**

iphone 6

BCG-E2816A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 09/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 7: Apple iphone 6 plus

#### Handset Maker

Apple

#### Handset Model Name

iphone 6 plus

#### FCC ID

BCG-E2817A

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 09/14 to 12/14

#### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 8: Huawei Ascend M866

#### Handset Maker

Huawei

#### Handset Model Name

Ascend M866

#### FCC ID

QISM866

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 05/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks****Handset 9: LG AN160****Handset Maker**

LG

**Handset Model Name**

AN160

**FCC ID**

ZNFAN160

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/13 to 12/14

**Ratings**



M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature phone

#### Remarks

---

### Handset 10: LG AN272 CONVERSE

#### Handset Maker

LG

#### Handset Model Name

AN272 CONVERSE

#### FCC ID

ZNFAN272

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 12/12 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Handset 11: LG AS695

#### Handset Maker

LG

#### Handset Model Name

AS695

#### FCC ID

ZNFAS695

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 07/12 to 03/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 12: LG AS730****Handset Maker**

LG

**Handset Model Name****FCC ID**

AS730

ZNFAS730

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 13: Motorola Milestone 3

#### Handset Maker

Motorola

#### Handset Model Name

Milestone 3

#### FCC ID

IHDT56MF1

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 10/12 to 07/14

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 14: Motorola Moto G (XT1031)

#### Handset Maker

Motorola

#### Handset Model Name

Moto G (XT1031)

#### FCC ID

IHDT56PF3

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 06/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 15: Samsung Galaxy S5****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Galaxy S5

A3LSMG900R7

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 05/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 16: Samsung Galaxy SIII

#### Handset Maker

Samsung

#### Handset Model Name

Galaxy SIII

#### FCC ID

A3LSCHI535

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 08/13 to 12/14

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 17: SONIM XP3400 Armor

#### Handset Maker

SONIM

#### Handset Model Name

XP3400 Armor

#### FCC ID

WYPC21F007AA

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 08/12 to 02/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature

**Remarks**

---

**Handset 18: SONIM XP3405 Shield****Handset Maker**

SONIM

**Handset Model Name****FCC ID**

XP3405 Shield

WYPC21F007AA

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Handset 19: SONIM XP4400

#### Handset Maker

SONIM

#### Handset Model Name

XP4400

#### FCC ID

WYPC21F007AC

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 02/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Certification

#### This Report has been certified by:

John A Reiser Chief Operating Officer  
01/13/2015 11:36 PM